

March 10, 2005

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 13-1-9-18, 1-11-9-18, 3-11-9-18, 5-11-9-18, 7-11-9-18, and 9-11-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Wlandie Crozier

Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED MAR 1 4 2005

DIV. OF OIL, GAS & MINING



Form 3160-3 (September 2001) OMB No. 1004-0136 Expires January 31, 2004 UNITED STATES 5. Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-16539 BUREAU OF LAND MANAGEMENT 6. If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER 7. If Unit or CA Agreement, Name and No. I DRILL la. Type of Work: ☐ REENTER 8. Lease Name and Well No. Single Zone Multiple Zone Federal 1-11-9-18 Name of Operator **Newfield Production Company** 3a. Address 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory Route #3 Box 3630, Myton UT 84052 (435) 646-3721 Eight Mile Flat 11. Sec., T., R., M., or Blk. and Survey or Area Location of Well (Report location clearly and in accordance with any State requirements.*) 40,051179 543' FNL 716' FEL 597814X At surface NE/NE -109.853281 NE/NE Sec. 11, T9S R18E 4433857 At proposed prod. zone 12. County or Parish 13. State 14. Distance in miles and direction from nearest town or post office* Approximatley 24.2 miles southeast of Myton, Utah Uintah UT 15. Distance from proposed* 16. No. of Acres in lease 17. Spacing Unit dedicated to this well location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any) Approx. 543' f/lse, NA f/unit 40 Acres 1520.39 18. Distance from proposed location* 19. Proposed Depth 20. BLM/BIA Bond No. on file to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 2668 UTU0056 5840' 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 22. Approximate date work will start* 23. Estimated duration 3rd Quarter 2005 4801' GL Approximately seven (7) days from spud to rig release 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form: 1. Well plat certified by a registered surveyor. 4. Bond to cover the operations unless covered by an existing bond on file (see 2. A Drilling Plan. Item 20 above). Operator certification. A Surface Use Plan (if the location is on National Forest System Lands, the Such other site specific information and/or plans as may be required by the SUPO shall be filed with the appropriate Forest Service Office). authorized officer. 25. Signature Name (Printed/Typed) Mandie Crozier Title Regulato Name (Printed/Typed)
BRADLEY G. HILL pproved by ENVIRONMENTAL SCIENTIST III Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

*(Instructions on reverse)

Conditions of approval, if any, are attached.

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

T9S, R18E, S.L.B.&M.

\$89.58'W - 79.98 (G.L.O.)N89'59'30"W - 2645.65' (Meas.) S89'56'37"W - 2638.18' (Meas.) Brass Cap Bross Cap Bross Cap 716 DRILLING WNDOW NO0.00.76"W (C.L.O.) 1910 1910 Brass Cap Brass Cap N0.01'W WELL LOCATION: FEDERAL 1-11-9-18 ELEV. UNGRADED GROUND = 4800.6' W G.L.O. 1 2638.25 W.81,£0.00N 1910 1910 Brass Cap S89'59'30"W - 2636.48' (Meas.) S89'59'53"W - 2639.76' (Meas.) 1910 S89°59'W - 79.96 (G.L.O.) Bross Cop




= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (UTELAND BUTTE)

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 1-11-9-18, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 11, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



SCOOL OF CONTRACTOR

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

| SCALE: 1" = 1000' | SURVEYED BY: D.P. |
|-------------------|-------------------|
| DATE: 2-7~05 | DRAWLER - 125 |
| NOTES: | F F # |

REGIS

NEWFIELD PRODUCTION COMPANY FEDERAL #1-11-9-18 NE/NE SECTION 11, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' - 2130' Green River 2130' Wasatch . 5840'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 2130' - 5840' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #1-11-9-18 NE/NE SECTION 11, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

I. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #1-11-9-18 located in the NE 1/4 NE 1/4 Section 11, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 15.3 miles \pm to it's junction with an existing dirt road to the east; proceed easterly - 5.9 miles \pm to it's junction with the beginning of the proposed access road; proceed northwesterly along the proposed access road - 7450' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-1560, 4/2/04. Paleontological Resource Survey prepared by, Wade E. Miller, 4/7/04. See attached report cover pages, Exhibit "D".

For the Federal #1-11-9-18 Newfield Production Company requests 7450' of disturbed area be granted in Lease UTU-16539 to allow for construction of the proposed access road. Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 1420' of disturbed area be granted in Lease UTU-15392, 2530' of disturbed area be granted in Lease UTU-17424, and 9750' of disturbed area be granted in Lease UTU-16539 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests 1420' of disturbed area be granted in Lease UTU-15392, 2530' of disturbed area be granted in Lease UTU-17424, and 9750' of disturbed area be granted in Lease UTU-16539 to allow for construction of the proposed water lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a buried 3" steel water injection line and a 3" poly water return line. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species None.

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Atriplex gardneri

6 lbs/acre

Details of the On-Site Inspection

The proposed Federal #1-11-9-18 was on-sited on 11/17/04. The following were present; Brad Mecham (Newfield Production) and Byron Tolman (Bureau of Land Management). Weather conditions were clear.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

<u>Representative</u>

Name:

Brad Mecham

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification


Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #1-11-9-18 NE/NE Section 11, Township 9S, Range 18E: Lease UTU-16539 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date

Mandie Crozier Regulatory Specialist

Newfield Production Company



NEWFIELD PRODUCTION COMPANY CROSS SECTIONS FEDERAL 1-11-9-18 20, 11 STA. 2+90 1" = 50' 20, 11 STA. 2+22 1'' = 50'EXISTING FINISHED GRADE GRADE 20, WELL HOLE 11 1" = 50'STA. 1+60 20, 11 1" = 50'STA. 0+00 ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards) 6" TOPSOIL CUT FILL **EXCESS** ITEM Topsoil is PAD 1,980 1,980 0 NOTE: not included in Pad Cut UNLESS OTHERWISE NOTED 640 PIT ALL CUT/FILL SLOPES ARE 1,980 **TOTALS** 2,620 980 640 AT 1.5:1 (435) 781-2501 StateSCALE: 1" = 50'SURVEYED BY: D.P.Land Surveying, Inc. 180 NORTH VERNAL AVE. VERNAL, UTAH 84078


2-7-05

DATE:

DRAWN BY:

F.T.M.


NEWFIELD PRODUCTION COMPANY TYPICAL RIG LAYOUT FEDERAL 1-11-9-18





 SURVEYED BY:
 D.P.
 SCALE:
 1" = 50°


 DRAWN BY:
 F. T.M.
 DATE:
 2-7-05


Tri State (435) 781-2501
Land Surveying, Inc.
_____ 180 NORTH VERNAL AVE. VERNAL, UTAH 84078











2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

● Exhibit "D"

Page 1 of 4

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCE'S BLOCK SURVEY ON EIGHT MILE FLAT, TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 9, 10, 11, 14, 15 AND 23, UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-156

April 2, 2004

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey)
Permit No. U-04-MQ-0801b



• page 3 of 4

INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE & UINTA COUNTIES, UTAH

Section 13, T 9 S, R 16 E [excluding NW 1/4]; Section 11, T 9 S, R 18 E [excluding NW/SW, 12-11]; Section 27, T 9 S, R 15 E [excluding NE/SW, 11-27]


REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist April 7, 2004



WORKSHEET APPLICATION FOR PERMIT TO DRILL

| APD RECEIVED: 03/14/2005 | API NO. ASSIGNED: 43-047-36378 | | |
|--|--|--|--|
| WELL NAME: FEDERAL 1-11-9-18 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER | PHONE NUMBER: 435-646-3721 | | |
| PROPOSED LOCATION: NENE 11 090S 180E | INSPECT LOCATN BY: / / | | |
| SURFACE: 0543 FNL 0716 FEL BOTTOM: 0543 FNL 0716 FEL | Tech Review Initials Date | | |
| UINTAH | Engineering | | |
| 8 MILE FLAT NORTH (590) | Geology | | |
| LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-16539 | Surface | | |
| SURFACE OWNER: 1 - Federal PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO | LATITUDE: 40.05118 LONGITUDE: -109.8533 | | |
| RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTU0056) Potash (Y/N) N Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N) | LOCATION AND SITING: R649-2-3. Unit R649-3-2. General | | |
| COMMENTS: Sop Use | rate file. | | |
| STIPULATIONS: 1- Lede 2- Spa | na O approva A cins Stip | | |





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director

JON M. HUNTSMAN, JR.

Governor

GARY R. HERBERT Lieutenant Governor

March 15, 2005

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: Federal 1-11-9-18 Well, 543' FNL, 716' FEL, NE NE, Sec. 11, T. 9 South, R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36378.

Sincerely,

John R. Baza Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

| Operator: | Newfield Production Company | | |
|------------------------|-----------------------------|------------|------------|
| Well Name & Number | Federal 1-11-9-18 | | |
| API Number: | 43-047- | 36378 | |
| Lease: | UTU-16539 | | |
| Location: <u>NE NE</u> | Sec11_ | T. 9 South | R. 18 East |

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

FORM 316G-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

| FORM | APPROVED | |
|------|----------|--|
| | D N: 10 | |

Budget Bureau No. 1004-0135

Expires: March 31, 1993

| BUREAU OF LAND MANAGEMENT |
|---|
| SUNDRY NOTICES AND REPORTS ON WELL |
| not use this form for proposals to drill or to deepen or reentry a different reserv |
| LIGO "ARRILICATION FOR PERMIT. " for such prop |

| SUNDRY NOTICES AND | REPORTS ON WELLS | 5. Lease Designation and Serial No. UTU-16539 |
|---|---|--|
| Do not use this form for proposals to drill or to deep Use "APPLICATION FO | pen or reentry a different reservoir. OR PERMIT -" for such proposals | 6. If Indian, Allottee or Tribe Name NA |
| | TRIPLICATE | 7. If Unit or CA, Agreement Designation N/A |
| 1. Type of Well X Oil | | 8. Well Name and No. FEDERAL 1-11-9-18 9. API Well No. |
| 2. Name of Operator NEWFIELD PRODUCTION COMPANY | | 43-047-36378 10. Field and Pool, or Exploratory Area |
| | 46-3721 | 11. County or Parish, State |
| 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 543 FNL 716 FEL NE/NE Section | 11, T9S R18E | UINTAH COUNTY, UT. |
| 12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION | TO INDICATE NATURE OF NOTICE, REPO | ORT, OR OTHER DATA F ACTION |
| X Notice of Intent Subsequent Report Final Abandonment Notice | Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |
| Newfield Production Company requsts approval date was 3/15/05 (expiration This APD has not been approved yet be | s to extend the Permit to Drill this wo 3/15/06). | ell for one year. The original |
| O3-16-06 Dat By: | Z-10 10 11 11 1 | RECEIVED MAR 0 3 2006 |
| 14. Thereby certify that the foregoing is frue and correct Signed Signed | Regulatory Specialist | Ditte 2/28/2006 |
| Mandie Crozier CC: UTAH DOGM | | - |
| (This space for Federal or State office use) Approved by Conditions of approximation: | Litle | Date |



Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

| API: 43-047-36378 Well Name: Federal 1-11-9-18 Location: NE/NE Section 11, T9S R18E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 3/15/2005 |
|---|
| The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. |
| Following is a checklist of some items related to the application, which should be verified. |
| If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ♠ |
| Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑ |
| Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑ |
| Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑ |
| Has the approved source of water for drilling changed? Yes□No☑ |
| Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes ☐ No ☑ |
| Is bonding still in place, which covers this proposed well? Yes ☑ No ☐ |
| Warkie Login 3/1/2006 Signature Date |
| Title: Regulatory Specialist |
| Representing: Newfield Production Company |

RECEIVED MAR 0 3 2006

FORM 3160-5 (June 1990)-

Conditions of approval, if any:

CC: Utah DOGM

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

| | 5. Lease Designation and Serie |
|------|--------------------------------|
| | |

| | | 5. Lease Designation and Serial No. UTU-84229 6. If Indian, Allottee or Tribe Name NA 7. If Unit or CA, Agreement Designation N/A 8. Well Name and No. FEDERAL 1-11-9-18 9. API Well No. 43-047-36378 |
|--|---|--|
| NEWFIELD PRODUCTION COMPANY | | 10. Field and Pool, or Exploratory Area |
| 3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-6 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 543 FNL 716 FEL NE/NE Section | 46-3721 n 11, T9S R18E | 11. County or Parish, State UINTAH COUNTY, UT. |
| 12. CHECK APPROPRIATE BOX(s) | TO INDICATE NATURE OF NOTICE, REP | ORT, OR OTHER DATA |
| TYPE OF SUBMISSION | TYPE C | OF ACTION |
| X Notice of Intent Subsequent Report Final Abandonment Notice | Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |
| Newfield Production Company request approval date was 3/15/05 (expiration). This APD has not yet been approved by | sts to extend the Permit to Drill this value 3/15/07). | well for one year. The original |
| | Approved by the Utah Division of Oil, Gas and Mining | |
| Da 2-7-01 By | ate: 05-06-071 | RECEIVED MAR 0 6 2007 DIV. OF OIL, GAS & VINING |
| 14. I hereby certify that the foregoing is true and correct Signed Mandie Crozier | Title Regulatory Specialist | Date 3/5/2007 |
| CC: UTAH DOGM | | |
| (This space for Federal or State office use) Approved by | Title | Date |

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

| API: 43-047-36378 Well Name: Federal 1-11-9-18 Location: NE/NE Section 11,T9S R18E | |
|---|--|
| Company Permit Issued to: Newfield Prod Date Original Permit Issued: 3/15/2005 | duction Company |
| The undersigned as owner with legal rights above, hereby verifies that the information approved application to drill, remains valid | as submitted in the previously |
| Following is a checklist of some items relat verified. | ed to the application, which should be |
| If located on private land, has the ownersh agreement been updated? Yes□No□ (| ·^ |
| Have any wells been drilled in the vicinity of the spacing or siting requirements for this l | - · · · |
| Has there been any unit or other agreemer permitting or operation of this proposed we | · · |
| Have there been any changes to the acces of-way, which could affect the proposed loc | |
| Has the approved source of water for drillin | g changed? Yes□No ☑ |
| Have there been any physical changes to t which will require a change in plans from w evaluation? Yes□No☑ | |
| s bonding still in place, which covers this p | roposed well? Yes ☑ No □ |
| Mandilugin | 3/5/2007 |
| Signature | Date |
| Title: Regulatory Specialist | RECEIVED |
| | MAR 0 6 2007 |
| Representing: Newfield Production Company | DIV. OF OIL, GAS & MININ |

RECEIVED

MAR 1 4 2005

Form 3160-3 (September 2001)

BLM VERNAL, UTAH

UNITED STATES

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

| DEPARTMENT OF THE IN BUREAU OF LAND MANAC | GEMENT | | UTU-16539 | *::E., \f |
|--|--|---|--|--------------------|
| APPLICATION FOR PERMIT TO DRILL OR REENTER | | 6. If Indian, Allottee or Tribe Name N/A | | |
| 1a. Type of Work: DRILL REENTER | \ | | 7. If Unit or CA Agreeme | nt, Name and No. |
| 1b. Type of Well: ☐ Oil Well ☐ Gas Well ☐ Other ☐ Single Zone ☐ Multiple Zone | | | 8. Lease Name and Well ? Federal 1-11-9-18 | |
| Name of Operator Newfield Production Company | | | 9. API Well No. 430473 | 36378 |
| 3a. Address Route #3 Box 3630, Myton UT 84052 | 3b. Phone No. <i>(include area code</i> (435) 646-3721 | ?) | 10. Field and Pool, or Expl Eight Mile Flat | |
| Location of Well (Report location clearly and in accordance with a At surface NE/NE 543' FNL 716' FEL At proposed prod. zone | my State requirements.*) | | 11. Sec., T., R., M., or Blk. NE/NE Sec. 11, T9 | • |
| 14. Distance in miles and direction from nearest town or post office* Approximatley 24.2 miles southeast of Myton, Utah | | | 12. County or Parish Uintah | 13. State UT |
| Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any) Approx. 543' f/lse, NA f/unit | 16. No. of Acres in lease 1520.39 | 17. Spacin | ng Unit dedicated to this well 40 Acres | |
| 18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 2668' | 19. Proposed Depth 5840' | : | BIA Bond No. on tile UTU0056 | |
| 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4801' GL | 22. Approximate date work will 3rd Quarter 2005 | start* | 23. Estimated duration Approximately seven (7) days from si | oud to ng release. |
| | 24. Attachments | | | |
| The following, completed in accordance with the requirements of Onshor | e Oil and Gas Order No.1, shall be | attached to this | s form: | |

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan.
- B. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

| 25. Signature | Name (Printed/Typed) Mandie Crozier | Date |
|--|-------------------------------------|--------------------|
| Title Regulatory Specialist | Mariato Grozio | 1 3/19/05 |
| Approved by (Signajure) | Name (Printed/Typed) Tessy Kevæla | Date 3 - 8 - 200 7 |
| Title Assistant Field Manager Läride Mineral Resources | Office VERNAL FIELD OFFICE | E |

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

NOTICE OF APPRIOVAL

CONDITIONS OF APPROVAL ATTACHEL

RECEIVED

MAR 1 6 2007

DIV. OF OIL, GAS & MINING

06 PP 0400 A

No 1006



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Newfield Production Company

170 South 500 East

Location:

NENE, Sec 11, T9S, R18E

Well No: Federal 1-11-9-18 API No: 43-047-36378 Lease No:

UTU-16539

Agreement: N/A

| Title | Name | Office Phone Number | Cell Phone Number |
|-----------------------------------|-----------------|---------------------|-------------------|
| Petroleum Engineer: | Matt Baker | 435-781-4490 | 435-828-4470 |
| Petroleum Engineer: | Michael Lee | 435-781-4432 | 435-828-7875 |
| | | | |
| Petroleum Engineer: | James Ashley | 435-781-4470 | 435-828-7874 |
| Petroleum Engineer: | Ryan Angus | 435-781-4430 | |
| Supervisory Petroleum Technician: | Jamie Sparger | 435-781-4502 | 435-828-3913 |
| NRS/Enviro Scientist: | Paul Buhler | 435-781-4475 | 435-828-4029 |
| NRS/Enviro Scientist: | Karl Wright | 435-781-4484 | |
| NRS/Enviro Scientist: | Holly Villa | 435-781-4404 | |
| NRS/Enviro Scientist: | Melissa Hawk | 435-781-4476 | 435-828-7381 |
| NRS/Enviro Scientist: | Chuck MacDonald | 435-781-4441 | |
| NRS/Enviro Scientist: | Jannice Cutler | 435-781-3400 | |
| NRS/Enviro Scientist: | Michael Cutler | 435-781-3401 | |
| NRS/Enviro Scientist: | Anna Figueroa | 435-781-3407 | |
| NRS/Enviro Scientist: | Verlyn Pindell | 435-781-3402 | |
| NRS/Enviro Scientist: | Darren Williams | 435-781-4447 | |
| NRS/Enviro Scientist: | Nathan Packer | 435-781-3405 | |
| After Hours Contact Number: 435-7 | '81-4513 | Fax: 435-781-4410 | |

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a one-year period. An additional year extension may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

| Location Construction (Notify NRS/Enviro Scientist) | - | Forty-Eight (48) hours prior to construction of location and access roads. |
|---|---|---|
| Location Completion (Notify NRS/Enviro Scientist) | - | Prior to moving on the drilling rig. |
| Spud Notice (Notify Petroleum Engineer) | - | Twenty-Four (24) hours prior to spudding the well. |
| Casing String & Cementing (Notify Supervisory Petroleum Technician) | - | Twenty-Four (24) hours prior to running casing and cementing all casing strings |
| BOP & Related Equipment Tests (Notify Supervisory Petroleum Technician) | - | Twenty-Four (24) hours prior to initiating pressure tests |
| First Production Notice (Notify Petroleum Engineer) | - | Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days |

Page 2 of 6 Well: Federal 1-11-9-18 2/12/2007

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

See SOP and APD

- Conditions of Approval not covered in SOP and APD:
- Timing Limitation April 1 through August 15 A timing restriction will be in affect for all sites to
 protect the Burrowing owl during its nesting season.
- The access road will be crowned and ditched. Flat-bladed roads are not allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- Low-water crossings will be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines will be buried at all major drainage crossings.
- The reserve pit will be lined with a 12 ml or greater liner and felt prior to spudding.
- If paleontologic or cultural materials are uncovered during construction, the operator shall immediately stop work that might further disturb or move such materials and contact the Authorized Officer (AO) within 48 hours. A determination will be made by the AO as to necessary mitigation for the discovered paleontologic/cultural material.
- If Uinta Basin hookless cactus or other special status plants are found, construction will cease and the AO will be notified to determine the appropriate mitigation.

The interim seed mix for this location shall be:

o Crested Wheat grass :

6 lbs/acre

o Indian Rice grass:

6 lbs/acre

- The operator will be responsible for treatment and control of invasive and noxious weeds.
- All well facilities not regulated by OSHA will be painted Carlsbad Canyon.
- No right of way will be required since it is address in another APD for the gas and water lines.

General Surface COA

Operator shall notify any active Gilsonite mining operation within 2 miles of the location 48 hours prior to any blasting during construction for this well.

Page 3 of 6 Well: Federal 1-11-9-18 2/12/2007

DOWNHOLE CONDITIONS OF APPROVAL

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

None

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The lessee/operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled and analyzed (a copy of the analyses to be submitted to the BLM Field Office in Vernal, Utah).
- All oil and gas shows shall be adequately tested for commercial possibilities, reported, and protected.

Page 4 of 6 Well: Federal 1-11-9-18 2/12/2007

- The lessee/operator must report encounters of all non oil & gas mineral resources (such as
 Gilsonite, tar sands, oil shale, etc.) to the Vernal Field Office, in writing, within 5 working days of
 each encounter. Each report shall include the well name/number, well location, date and depth
 (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person
 making the report (along with a telephone number) should the BLM need to obtain additional
 information.
- All shows of fresh water and minerals shall be reported and protected. A sample shall be taken
 of any water flows and a water analysis furnished the BLM, Vernal Field Office. All oil and gas
 shows shall be adequately tested for commercial possibilities, reported, and protected.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM, Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a
 weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is
 completed.
- Any change in the program shall be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) shall be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

Page 5 of 6 Well: Federal 1-11-9-18 2/12/2007

A cement bond log (CBL) will be run from the production casing shoe to the surface casing shoe
and shall be utilized to determine the bond quality for the production casing. Submit a field copy
of the CBL to this office.

- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease shall have prior written approval from the BLM, Vernal Field Office.
- All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The Field Office
 Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
 future meter proving schedules. A copy of the meter calibration reports shall be submitted to
 the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for
 liquid hydrocarbons and the AGA standards for natural gas measurement.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM, Vernal Field Office within 30 days of installation or first production, whichever
 occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- This APD is approved subject to the requirement that, should the well be successfully
 completed for production, the BLM, Vernal Field office must be notified when it is placed in a
 producing status. Such notification will be by written communication and must be received in
 this office by not later than the fifth business day following the date on which the well is placed
 on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - o Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located;
 otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and / or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major

Page 6 of 6 Well: Federal 1-11-9-18 2/12/2007

Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.

- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

FÖRM 3150-5 (June 1990)

DEPARTMENT OF THE INTERIOR RECEIVED

FEB 2 9 2008

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

Do not use this form for proposals to drill or to deepen or reentry a different reservoir OIL, GAS & MINING UTU-84229 16539

6. If Indian, Allottee or Tribe Name

Use "APPLICATION FOR REPAIT" Sakatika Marija da 12 The original 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE and he will be the first N/A 1. Type of Well Oil 8. Well Name and No. FEDERAL 1-11-9-18 Well Other Well 9. API Well No. 43-047-36378 2. Name of Operator **NEWFIELD PRODUCTION COMPANY** 10. Field and Pool, or Exploratory Area 3. Address and Telephone No. **EIGHT MILE FLAT NORTI** Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 543 FNL 716 FEL UINTAH COUNTY, UT. NE/NE Section 11, T9S R18E

| 12. CHECK APPROPRIATE BOX(s |) TO INDICATE NATURE OF NOTICE, REPOR | T, OR OTHER DATA | | |
|--------------------------------------|--|---|--|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | | |
| X Notice of Intent Subsequent Report | Abandonment Recompletion Plugging Back Casing Repair | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off | | |
| Final Abandonment Notice | Altering Casing Other Permit Extension | Conversion to Injection Dispose Water (Note: Report results of multiple completion on We Completion or Recompletion Report and Log form.) | | |

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is direction-

ally thined, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* NEWFIEL .

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 3/15/05 (expiration 3/15/08).

This APD is not yet due to expire with the BLM.

والمعاطلة والكيمكية للأوالسجيد الشاء

and when the said of the said

war Hindryk.

Approved by the Utah Division of Oil, Gas and Mining

Date:

COPY SENT TO OPERATOR

Initials:

V 1. 1.77 27 14. I hereby certify that the fo 2/26/2008 Title Regulatory Specialist Date Mandiè Crozier CC: UTAH DOGM (This space for Federal or State office use) Date Approved by Title Conditions of approval, if any: CC: Utah DOGM



Application for Permit to Drill Request for Permit Extension Validation

DIV. OF OIL, GAS & MINING

(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-36378

| Well Name: Federal 1-11-9-18 | |
|---|------------------------------|
| Location: NE/NE Section 11,T9S R18E | |
| Company Permit Issued to: Newfield Production Com | npany |
| Date Original Permit Issued: 3/15/2005 | |
| <u>.</u> 49 | |
| The undersigned as owner with legal rights to drill or | |
| above, hereby verifies that the information as submi | • |
| approved application to drill, remains valid and does | not require revision. |
| Following is a checklist of some items related to the | application, which should be |
| verified. | <u> </u> |
| | |
| If located on private land, has the ownership change | ed, if so, has the surface |
| agreement been updated? Yes □ No □ ♠ | |
| | |
| Have any wells been drilled in the vicinity of the prop | |
| the spacing or siting requirements for this location? | Yes□No☑ |
| the steam to a second and the second and the | where that accord offers the |
| Has there been any unit or other agreements put in | • |
| permitting or operation of this proposed well? Yes□ | NO PCT |
| Have there been any changes to the access route in | ocluding ownership or right- |
| of-way, which could affect the proposed location? Ye | |
| or way, which could allook the proposed location. | 302.102 |
| Has the approved source of water for drilling change | ed? Yes⊟No⊠ |
| | |
| Have there been any physical changes to the surface | e location or access route |
| which will require a change in plans from what was | discussed at the onsite |
| evaluation? Yes□No☑ | |
| | |
| Is bonding still in place, which covers this proposed | Well? Yes ZINOL |
| | |
| Marche Croges | 2/28/2008 |
| Signature | Date |
| | |
| Title: Regulatory Specialist | |
| | |
| | |
| Representing: Newfield Production Company | |
| - | |

| FORM 3160-5 | UNITED STATES | FORM AP | PROVED | |
|--|--|----------------------------|---------------------------------------|--|
| (dune 1996) DEPAR | TMENT OF THE INTERIOR | Budget Bur | reau No. 1004-0135 | |
| BUREA | U OF LAND MANAGEMENT | | March 31, 1993 | |
| and the first of the property | AND DEPORTS ON MELLO DEFENSE | 5. Lease Designat | | |
| | AND REPORTS ON WELLS | UTU-8422 | !9 | 9 |
| Do not use this form for proposals to drill or | | 6. If Indian, Allotte | ee or Tribe Name | |
| | ON FOR PERMIT -" for such proposals | NA ! | | |
| COLUENT BOGIN | The second of th | 1 1 4 4 | | |
| on geregia vikin v | | 7. If Unit or CA, A | Agreement Designation | r. |
| | T IN TRIPLICATE BUREAU OF LAN | N/A | | |
| Type of Well | | 0.777.1137 | 27 | |
| X Oil Gas Well Other | | 8. Well Name and FEDERAL 1 | | |
| wen outer | | 9. API Well No. | -11-7-10 | |
| Name of Operator | | 43-047-36 | 378 | .* |
| NEWFIELD PRODUCTION COMP. | ANY | 10. Field and Pool, | or Exploratory Area | |
| Address and Telephone No. | | EIGHT M | ILE FLAT NOR | ₹T1 |
| Rt. 3 Box 3630, Myton Utah, 84052 | | 11. County or Paris | h, State | |
| Location of Well (Footage, Sec., T., R., m., or Survey Descr | | | | |
| 543 FNL 716 FEL NE/NE S | ection 11, T9S R18E | UINTAH | COUNTY, UT. | |
| | OV. TO INDIOATE WELLE OF WELLE | 00.05::55.5 | TA | : 4 |
| TYPE OF SUBMISSION | OX(s) TO INDICATE NATURE OF NOTICE, REPORT, TYPE OF AC | | ii A | |
| Section of the second of the second | TIPE OF AC | , I I O IN | | - 50 |
| Notice of Intent | Abandonment | Change of | Plans | |
| (2015年) 100 (1994年) 1995年 - 1 10 (1995年) / (1995年) 10 (1995年) | Recompletion | New Cons | | |
| Subsequent Report | Plugging Back | Non-Routi | ine Fracturing | * Par. Wali |
| | Casing Repair | Water Shu | | |
| Final Abandonment Notice | Altering Casing | 1 | n to Injection | |
| State of the Control | X Other Permit Extension | Dispose W | ∕ater f multiple completion on Wel | - · · |
| | | · - | pletion Report and Log form.) | |
| approval date was 3/08/07 (expira | | | | 11 27 27 |
| | FECEIVED | | | e Car |
| The Carlot Free feet A | MAR 2 4 2008 | | | **** |
| and the second s | | | | 17. 17.4 |
| Company of the Compan | DIV. OF OIL, GAS & MINING | | | |
| | | | | |
| | | | | to how |
| A. Comment of the Com | | | | |
| en e | CONDITIONS OF A | APPHOVAL AT | TACHED | e de |
|). (1) | ಡಿಗೆ ಡಿಪ್ ಚಿಂದ ಮಹಗಳ ಕರಗಿ ಉಪ್ಕ್ ಕರ್ಮನ್ನೇ / | | | |
| <u> </u> | | | | |
| I hereby certify that the foregoing is true and correct | P | | | |
| Signed Whambolu | Title Regulatory Specialist | Date | 2/26/2008 | |
| Mandie Crozier | 0 | | | |
| CC: UTAH DOGM | | | | |
| (This space for Federal or State office use) | | | مالات ما سا | J. 5.5 V. D. S. J |
| Approved by | Title Petroleum Enginee | er Date | <u>MAR</u> 8 2 | 2008- |
| Conditions of approval, any: | 7. 34 13 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | 17.4% 17.4% |
| CC: Utah DOGM | | | | |
| | | d States and file C | titious | |
| Compared to the according to the second to t | | | | |
| MMI | son knowingly and willfully to make to any department or agency of the Unite | a states any taise, ne | atious | |
| or radis as statements or representations as to any matter | | a states any mise, ne | atious | ************************************** |
| MMI | | a states any raise, ne | autous | |

CONDITIONS OF APPROVAL

Newfield Production Company

Notice of Intent APD Extension

Lease:

UTU-84229

Well:

Federal 1-11-9-18

Location:

NENE Sec 11-T9S-R18E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 3/8/09.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Ryan Angus of this office at (435) 781-4430



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

March 24, 2009

Mandie Crozier Newfield Production Co. Route 3 Box 3630 Myton, UT 84052 43 047 36378 Federal 1-11-9-18 95 18E 11

Re:

APD Rescinded at the request of Newfield Production Company

Uintah County

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activities at these locations have been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective March 23, 2009.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Lyana Masor

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



- 43-047-36387 FEDERAL 15-11-9-18
- 43-047-36377 FEDERAL 13-1-9-18
- 43-047-36378 FEDERAL 1-11-9-18
- 43-047-36379 FEDERAL 3-11-9-18
- 43-047-36380 FEDERAL 5-11-9-18
- 43-047-36381 FEDERAL 7-11-9-18
- 43-047-36382 FEDERAL 9-11-9-18
- 43-047-36385 FEDERAL 11-11-9-18
- 43-047-36470 FEDERAL 13-12-9-18
- 43-047-36471 FEDERAL 15-12-9-18
- 43-047-36386 FEDERAL 13-11-9-18

United States Department of the Interior



BUREAU OF LAND MANAGEMENT Green River District-Vernal Field Office 170 South 500 East Vernal, UT 84078 (435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/ut/st/en/fo/vernal.html



IN REPLY REFER TO: 3160 UTG011

June 24, 2009

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

43 047 36378

Re:

Notice of Expiration Well No. Federal 1-11-9-18 NENE, Sec. 11, T9S, R18E Uintah County, Utah Lease No. UTU-84229

Dear Ms. Crozier:

The Application for Permit to Drill (APD) for the above-referenced well was approved on March 8, 2007. A one (1) year extension of the original APD was requested. The request was reviewed and the extension approved until March 8, 2009. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact me at (435) 781-4455.

Sincerely,

Cindy Severson

Cindy Severson
Land Law Examiner

cc: UDOGM

RECEIVED
JUN 2 9 2009

DIV. OF OIL, GAS & MINING